

Carbon Sequestration and the Urban heat Island Effect

Evan Blais

Background Information:

Urban Heat Islands

For a quick run-down of urban heat islands, and the impacts they have here is a great summary video done by The Science Museum of Virginia: <u>https://www.youtube.com/watch?v=s_apVv7dbMQ</u>



Figure 1: visualization of the urban heta island. Image credit: NASA/JPL-Caltech

An urban heat island is an urban or metropolitan area that is on average far warmer than the surrounding rural areas. The temperature difference between the urban center and the surrounding areas is normally greater during the night compared to the day and is most apparent when winds are weak. As Urban centers grow and the population increases, the area of

higher temperatures expand and the average temperatures increase.

The main cause of the urban heat island effect is the conversion of land surfaces from areas with higher albedo to areas of lower albedo. Albedo is the measure of how reflective a material is. Areas with higher relative albedo such as grassy areas or forests absorb less light and radiation in the form of heat compared to areas with lower albedos like buildings or paved surfaces. In a city these low albedo areas absorb heat and increase the temperature of the surrounding areas. Another drawback of these low albedo impervious surfaces, due to lack of vegetation, is the inability of evapotranspiration to occur. This natural process provides much needed evaporative cooling during peak temperatures. A secondary contributor to the urban heat island effect is waste heat caused by increased energy usage. This waste heat is often the product of air conditioning units being turned on full blast to counteract the increased temperatures, but in reality this is only adding to the problem.




Figure 2: Visualization of the urban heat island on a micro and macro scale. Image Credit: The urban heat island (UHI) by Tristan Kershaw

While humans are the biggest causes of the urban heat island effect, we are also dealing with the greatest consequences. As urban heat islands are largely characterized by increased temperature, they can potentially increase the strength and length of heat waves within these urban areas. These increased temperatures have been reported to also cause heat stroke, heat exhaustion, heat syncope, and heat cramps. Research on urban centers has found that the mortality rate during a heat wave increases exponentially with the maximum temperature.



Figure 3: Mitigation efforts in an urban setting. Image credit: Studio Lakmoes

Urban Trees

Urban trees are a vital resource for cities and urban centers due to the fact that they carry out a variety of important processes that are beneficial for the economy, environment, and human health. Higher numbers of urban trees are linked to higher property values, better test scores in schools, and lower crime rates.



Figure 4: Urban Trees in Brooklyn NY. Image Credit: The National Wildlife Federation

Spending time near trees can also promote better physical and mental health in all humans.

In regard to the environment, Trees also provide habitat for a variety of organisms which promotes urban biodiversity. Trees are responsible for a multitude of ecosystem services including air and water filtration, filtering of pollutants, and sequestering hundreds of kilograms of carbon from the atmosphere.



Figure 5: The benefits of urban trees. Image credit: The Nature Conservancy

Carbon Sequestration

Carbon sequestration is the process by which trees and other plants are able to absorb atmospheric carbon, mostly in the form of carbon dioxide, for long term storage and use in biological processes. Trees use this sequestered carbon to produce biomass and grow through the process of photosynthesis. Sequestration is vital tool for human health and for our atmosphere because in one year, an acre of forest can absorb twice the carbon dioxide produced by the average car's yearly mileage.

Urban Heat Island Effects on Carbon Sequestration

The urban heat island effect is largely characterized by increased temperatures within urban centers. These increased temperatures have negative impacts on light-saturated photosynthesis, a necessary process for tree to complete to survive and build biomass. As the urban heat islands grow and temperatures rise the urban trees located on the islands are expected to undergo less and less photosynthesis, thus reducing biomass creation and carbon sequestration.

Without the help of trees, thousands of kilograms of carbon dioxide will be left not sequestered, where it will contribute to the green house effect and speed up the process of climate change. Due to the fact that the trees will grow less and less each year, the situation has the potential to turn into a nightmarish positive feedback loop where urban heat islands grow and the urban trees shrink comparatively.

Linear Regression and Why we use it

linear regression is an easy to use yet very powerful statistical tool that is a type of predictive analysis. The overall idea of linear regression is to determine if a predictor (independent) variable does a good job in predicting an outcome (dependent) variable using a y=a+bx equation. A linear regression operates by creating a model and line of best fit, the model creates a line that ensures the least amount of error between the real data and the model line. If this model outputs a significant P-Value (p < 0.05) and a high R2 value, then the model can be used to evaluate trends and predict unknown data values.

Scientist and Research Introduction:

Scientist Introduction



Figure 6: Dr. Emily Meineke. Image Credit emilykmeineke.com

Dr. Emily Meineke is an Urban Landscape Entomologist and assistant professor at the University of California Davis. Before landing in California, Dr. Meineke was a Postdoctoral Associate at Harvard University Herbaria and Duke University, and received her Ph. D in Entomology from North Carolina State University.

Being an entomologist, Dr. Meineke is primarily interested in insect responses to

global change and biodiversity protection within developed habitats. Her research on the carbon storage of urban trees has served as the basis for this lesson.

Data Introduction

Raleigh is the capital of the state of North Carolina. Raleigh is known as the "City of Oaks" for its many oak trees, which line the streets in the heart of the city. The city covers a land area of 147.6 square miles and is one of the fastest growing cities in the US. Like most cities Raleigh experiences all of the consequences associated with being an urban heat island.

Raleigh along with most of the southern US is home to *Quercus phellos*, or the Willow Oak, it is one of the largest, most commonly planted shade tree species in the eastern US.

From 2013-2015, Dr Meineke and associates led a study in which the goal was to investigate the above ground carbon storage capabilities of mature urban street trees when in the presence of higher temperatures and common insect pests.

We will be taking the data from this study, and the paper associated with it called *Urban Warming Reduces Aboveground Carbon Storage*. The paper and data can be downloaded for free from

https://datadryad.org/stash/dataset/doi:10.5061/dryad.4j43c.

This study investigated a variety of variables but in this lesson, we will be focusing on photosynthesis and tree growth as a proxy for carbon sequestration and how they relate to rising urban temperatures.




Figure 7: Heat map of Raleigh NC. Image Credit: Meineke E, Youngsteadt E,

Scientific Question

Keeping in mind what we have learned about the urban heat island effect and carbon sequestration, how will the urban trees react to higher temperatures?

Hypothesis

As average temperatures increase, photosynthesis and tree growth (carbon sequestration) will decrease.


Data Findings:


Your Role

As a researcher, you have configured the data inside the open-source data analysis platform called RStudio. Below are several figures and regressions you must now analyze as a scientist. Study them carefully, see what conclusions can be made, and answer the guided learning questions under each figure.

Graph 1: Apr–Oct average temperature (°C) v. light-saturated photosynthesis (µmol CO2 m-2 s-1)

Graph 1 is a linear regression specifically examining the average temperature in Celsius during the growing season vs. light-saturated photosynthesis (µmol CO2 m-2 s-1)





1. What conclusions can you draw from this figure? Was this relationship significant? Why? Be sure to include the P-value and R2 values in your answer.

Yes, this was a significant relationship. The p-value was 0.04839 (< 0.05), but the there was a lower R2 value. According to the R2 value, only about 8% of the variation in our data is explained by this model. Therefore, we can expect there is not a very high probability that solely increasing Temperatures decreases photosynthesis.


2. There are some high values of photosynthesis associated with high temperature values, what are some possible reasons for these outliers.

Now that we know that it is unlikely for basal area growth to be exclusively determined by temperature, there is likely many reasons for these outliers. Some possible reasons for these high growth samples could be the willow oaks are more resistant to warmer temperatures than previously thought, favorable light conditions, or absence of leaf destroying pests.

Graph 2: Apr–Oct average temperature (°C) v. Basal area growth (cm2; sqft)

Graph 2 is a linear regression specifically examining the average temperature in Celsius during the growing season vs. basal area growth (cm2; sqft) at 1.4 meters above ground level

R2 = 0.08604 P Value = 0.04587 Equation = 342.581+ - 12.395x



1. What conclusions can you draw from this figure? Was this relationship significant? Why? Be sure to include the P-value and R2 values in your answer.

Yes, this was a significant relationship. The p-value was 0.04587 (< 0.05), but the there was a lower R2 value. According to the R2 value, only about 9% of the variation in our data is explained by this model. Therefore, we can expect there is not a very high probability that exclusively increasing Temperatures decreases basal area growth.

2. There are some high values of basal area growth associated with high temperature values, what are some possible reasons for these outliers.

Now that we know that it is unlikely for basal area growth to be exclusively determined by temperature, there is likely many reasons for these outliers. Some possible reasons for these high growth samples could be especially nutrient dense soil, favorable water supplies, or absence of pests.

Final Questions:

1. What were the overall findings of the study?

Through our analysis and interpretation, Qwe found that both photosynthesis and basal area growth decrease in the presence of higher temperatures. We also concluded can act as proxies for carbon sequestration. Although temperature is not the best explanation of decreasing photosynthesis and tree growth we know that the urban heat island effect is having producing negative consequences for these urban trees, and if we do not do something to mitigate the problem it may worsen.

2. Was the hypothesis supported by the data? Include evidence from the figures to explain why or why not.

Yes, our hypothesis was supported by the data. Both linear regressions produced significant P-values and even though our R2 values were on the lower side I still believe we can conclude that increasing temperatures has a role in the decreasing of photosynthesis and basal area growth.

3. If we use Photosynthesis and basal area growth as a proxy for carbon sequestration, what can we assume about the levels of carbon sequestration going forward?

With both photosynthesis and basal area growth trending lower values as temperature increases it is safe to say that we can infer that total carbon sequestration will decrease, even if it is not as much as we originally thought.

4. What are some possible solutions we can implement to help mitigate the effects of the urban heat island on these trees?

The main goal of mitigation when it comes to the urban heat island effect is to increase the albedo of the city or urban center. We can do this by increasing green spaces and vegetation, occasionally turning down/off the AC can also help by not adding heat waste into the system.

5. What are your next steps? Science is an ongoing process and can always be furthered. What new question do you think should be investigated? What

future data should be collected to answer your question?

How might this data change in other cities in NC? Other states? Other tree species?

How does water/soil nutrient availability change the data?

Developing an easy way to measure carbon sequestration in the field would be beneficial for future studies.

Sources

- Marinelli, Janet. "A Plea for Trees." *National Wildlife Federation*, 2019, www.nwf.org/Magazines/National-Wildlife/2019/April-May/Gardening/Urban-Forests.
- "Team." *Emily K. Meineke*, emilykmeineke.com/team.
- STEUTEVILLE, ROBERT. "The Benefits of Urban Trees." *CNU*, 17 Dec. 2018, www.cnu.org/publicsquare/2018/12/14/benefits-urban-trees.
- "What Is an Urban Heat Island?" NASA, NASA, climatekids.nasa.gov/heat-islands/.
- *Climate Change Resilience in the Urban Environment*, by Tristan Kershaw, IOP Publishing, 2017, pp. 4–44.
- "What Is Linear Regression?" *Statistics Solutions*, 10 Feb. 2021, www.statisticssolutions.com/what-is-linear-regression/.
- "All About Trees." *Keystone 10 Million Trees Partnership*, www.tenmilliontrees.org/trees/.
- Meineke E, Youngsteadt E, Dunn RR, Frank SD. 2016 Urban warming reduces aboveground carbon storage. Proc. R. Soc. B 283: 20161574. http://dx.doi.org/10.1098/rspb.2016.1574
- Zinzi, M., and S. Agnoli. "Cool and green roofs. An energy and comfort comparison between passive cooling and mitigation urban heat island techniques for residential buildings in the Mediterranean region." Energy and Buildings. 55. (2012): 66–76. Print.
- Kumar, Rahul; Mishra, Vimal; Buzan, Jonathan; Kumar, Rohini; Shindell, Drew; Huber, Matthew (2017-10-25). "Dominant control of agriculture and irrigation on urban heat island in India"